

Veterinary Guide

HUMPHREYS' VETERINARY SPECIFICS

"FOR EVERY LIVING THING ON THE FARM"



LIST OF



HUMPHREYS' VETERINARY SPECIFICS

PRICE OF
SINGLE BOTTLE

- A.A.** For Fevers, Congestions and Inflammations, of the Lungs or Pleuro, Inflammation of the Head or Brain, Eyes, or of the Liver or Belly; Sore Throat or Quinsy; Blind or Belly Staggers, or Convulsions; Hot Skin; Quick Pulse; Chill or Panting; Milk Fever in Cows - - - - - **.60**
- B.B.** For Diseases of the Tendons, Ligaments, or Joints; Founder, Curb, Strains, Stiffness, Lameness, Rheumatism, Splint, Stifle - - - - - **.60**
- C.C.** For Diseases of the Glands, Epizootic, Distemper in Horses or Sheep; Nasal Gleet; Discharges from the Nose; Swelled Glands; Scab in Sheep; Distemper in Dogs - - - - - **.60**
- D.D.** For Worm Diseases; eradicates them from the system; either Bots or Grubs, Long, Round Pin, or Tape-Worm, Colic or emaciation from Worms - - - - - **.60**
- E.E.** For Diseases of the Air Passages; Cough, Influenza, Heaves, Broken Wind or Whistles, Thick Wind, Inflamed Lungs with quick panting, hard or difficult Breathing - - - - - **.60**
- F.F.** For Colic, Spasmodic Wind, or Inflammatory Colic; Belly-ache, Gripes, Hoven or Wind-Blown; Diarrhea, or Dysentery; Liquid or Bloody Dung - - - - - **.60**
- G.G.** Prevents Miscarriage, Casting of Foal or Calf, arrests Hemorrhages; throws off the after-birth - - - - - **.60**
- H.H.** For Diseases of the Kidneys, Bladder, or Urinary Passages; as Inflammation, or Scanty, difficult, painful, suppressed, or bloody Urination; Kidney Colic - - - - - **.60**
- I.I.** For Cutaneous Diseases or Eruptions, Mange, Farcy, Grease, Thrush, Swellings, Abscesses, Fistulas, Ulcers, Unhealthy Skin, Rough Coat - - - - - **.60**
- J.K.** For Diseases of Digestion, Out of Condition, and "Off his Feed"; Results of Over-Feed, Jaundice or Yellows; Ill Condition, Staring Coat; also, Paralysis, Stomach Staggers, Brittle Hoofs, Impotency in Stallions - - - - - **.60**

formerly
J. J.

VETERINARY GUIDE

BY

FREDERICK HUMPHREYS, M. D., V. S.

"FOR EVERY

LIVING THING

ON THE FARM."

HUMPHREYS'

VETERINARY

SPECIFICS

Entered according to Act of Congress in the year 1911 by the HUMPHREYS' HOMEOPATHIC MEDICINE CO., in the Office of the Librarian of Congress.

HUMPHREYS' HOMEO. MEDICINE CO.

Corner William and Ann Sts.

NEW YORK.

INDEX

	PAGE.		PAGE.
Appetite, Loss of, Indigestion	17	Joints, Dryness of.....	23
Bots and Worms.....	17	Kidneys, Inflamed.....	19
Bowels, Inflamed.....	16	Lampas.....	15
Brain, Inflammation of.....	12	Mange.....	24
Bronchitis, or Common Cold	13	Nursing and Care.....	7
Chill.....	8	Over-reach and Tread.....	22
Colic, Belly-Ache.....	15	Paralysis.....	12
Condition, Out of.....	25	Pink Eye.....	9
Congestion of the Head.....	11	Pneumonia, Inflamed Lungs,	
Convulsions, Fits, Staggers.	11	or Pleuro.....	14
Crib Biting.....	17	Poultry, Diseases of.....	44
Diarrhea and Purging.....	18	Prick in the Foot.....	24
Distemper or Strangles.....	10	Quarter or Sand Crack.....	23
Dogs, Diseases of.....	39 - 43	Quittor.....	24
Doses, how much and often	7	Range of Action of Specifics	3 - 4
" " to prepare and give	7	Rheumatism.....	20
Dropsy, Swelled Legs, Belly,		Ring Bone.....	21
or Face.....	20	Scarlet Fever.....	10
Drum Belly, Tympanitis....	17	Sheep, Diseases of.....	34 - 38
Dysentery, or Bloody Flux..	18	Slavering of Mouth.....	15
Eyes, Inflamed or Sore.....	15	Sore Throat or Quinsy.....	13
Feed of Sick Animals.....	7	Spavin and String Halt.....	21
Founder, Laminitis, Inflamed		Spinal Meningitis.....	11
Feet.....	23	Splint.....	21
Fright or Fear, Effects of...	8	Stifle.....	23
Grease, Grapes, Scratches..	24	Strains.....	20
Grippe (La).....	9	Swine, Diseases of.....	38 - 39
Heaves, Broken Wind.....	15	Thrush and Canker.....	22
Hock, Knee or Pastern, Dis-		Urinary Diseases.....	18 - 19
eases of.....	22	Veterinary Oil.....	5
Horned Cattle, Diseases of..	26 - 34	Wind Galls, Enlarged Bursa	23
Influenza.....	8	Wind Pipe, Inflamed.....	13

Range of Action of Humphreys' Veterinary Specifics.

A.A.} CONGESTIONS, FEVERS, FOR INFLAMMATIONS.

Is curative for all **Congestions, Inflammations, Fevers**, and febrile conditions; and hence for all conditions attended with *quick, full and strong pulse, heat or excitement* of the system; and for the coldness, shaking or panting, which precede inflammation.

B.B.} STRAINS, LAMENESS, INJURIES, FOR RHEUMATISM.

Is curative for all diseases or affections of the **Muscles, Sinews, Tendons and Joints**.

C.C.} SORE THROAT, QUINSY, FOR NASAL GLEET, INFLUENZA.

Is curative for all diseases of the **Mucous Membrane and Glands**.

D.D.} BOTS, GRUBS, WORMS. FOR

Is curative for all diseases arising from the various kinds of **Bots, Grubs, or Worms** in animals, as well as the morbid cause which produces them.

E.E.} COUGHS, BRONCHITIS, BROKEN FOR WIND, INFLAMED LUNGS.

Is curative for all diseased conditions of the **Air Passages and Lungs**, especially after the more acute symptoms have been removed by the **A.A.**

F.F. } COLIC, BELLY-ACHE, WIND-
FOR } BLOWN, DIARRHEA,
DYSENTERY.

Is curative for the various forms of **Colic or Enter-
algia**, and derangements arising from *improper food*,
deranged digestion, or *over-feeding*.

G.G. } HEMORRHAGE, MISCARRIAGE,
FOR } IMPERFECT CLEANSING, Etc.

Is curative for all diseases of the reproductive system.

H.H. } URINARY AND KIDNEY
FOR } DISEASES, AND DROPSY.

Is curative for diseases of the urinary apparatus, the
Kidneys, Bladder, and Appendages.

I.I. } Eruptions, Ulcers, Mange, Grease,
FOR } Farcy, Abscesses, Fistulas,
Unhealthy Skin.

Is curative for all diseases of the **Skin and Under-
lying Tissues**, and all **Abscesses and Ulcerations**,
and the diseased condition preceding or attending them.

J.K. } Bad Condition, Indigestion, Cos-
FOR } tiveness, Stomach Staggers,
Paralysis.

Is curative for all morbid conditions or **Derange-
ments of the Digestive System**, or diseased conditions
of the *cerebro-spinal system* connected therewith.

HUMPHREYS' VETERINARY OIL

IT IS A GOOD APPLICATION FOR :

Injuries from Kicks, Nails, Thorns, Spikes, Barbed Wire, Stakes, and as a dressing for all Surgical Operations, Burns, or Scalds; Sores or Indolent Ulcers; Sore, Scabby, Itching Patches or Bare Places on the Skin; or Chafing, Sore Teats, Fistulas or Deep-seated Ulcers; Broken Knees or Open Joints; Old Sores, Horny Places or Warts; Hot Swellings; Boils or Tumors; Scratches, Greased or Cracked Heels, Broken Hoof; Sand or Quarter-Crack; Corns; Tender or Bruised Soles; Dry, Shaly or Ill-Growing Hoofs.

AS A HOOF OIL

Apply the "Vet Oil" with the end of the finger along the upper edge of the hoof after cleaning at night.

LARGE JAR, PRICE - - - - - \$1.00



PRICES OF SINGLE BOTTLES.

SINGLE BOTTLES, containing over 50 doses.....	\$.60
SINGLE BOTTLES, Medium Size, containing FOUR times as much as small bottles, 200 doses.....	2.00
SINGLE BOTTLES, Large Size, containing EIGHT times as much as small bottles, 400 doses.....	3.00

PRICES OF STABLE CASES.

STABLE CASE, Handle, Lock and Key, containing Manual (450 pages with chart,) Ten bottles Specifics, Jar Veterinary Oil, and Medicator complete.....	7.00
STABLE CASE, Handle, Lock and Key, containing Manual (450 pages with chart,) Ten medium size bottles Specifics, Jar Veterinary Oil, and Medicator com- plete	20.00
STABLE CASE, Lock and Key, containing Manual (450 pages with chart,) Ten large size bottles Specifics, Jar Veterinary Oil, and Medicator complete.....	30.00
JAR VETERINARY OIL.....	1.00
HUMPHREYS' VETERINARY MANUAL (450 pp., with chart)	.50
MEDICATOR (for administering Specifics).....	.25

SENT FREE TO ANY ADDRESS ON RECEIPT OF PRICE.

Directions for Using the Specifics:

Nursing and Care of Sick Animals.—Separate the seriously sick from the well ones. Give each a dry, warm, well-littered box or stall, free from cold or damp, or foul smells. Have sick cows laid on the side with their legs under them, in a natural position. With horses, blanket the body and neck, and in pneumonia, flannel bandage the legs, and, if needful, sling them up. Give **no grain, corn-meal, or hearty food** to sick cattle or horses, only **bran mashes, hay tea, chopped roots, steamed grain**, or mill feed in small quantities.

 **No other Medicine or Dose should be given or applied** when using the **HOMEOPATHIC SPECIFICS**, as it will injure or destroy the effect.

DOSES—How Much.—Ten to Fifteen Drops for Horses; Fifteen to Twenty-five Drops for Cattle or Hogs; Five to Ten Drops for Sheep or Dogs; proportionately less for small or young animals.

How Often.—From one-half to three hours in acute, and morning and night in old or chronic cases.

How to Give.—Simply apply the dose to the animal's tongue, which you may do upon a lump of sugar, apple or potato, or in water, and given with a spoon—or with the *Medicator*. If many doses are to be given, put the proper number of drops into a clean bottle, adding for each *dose* a spoonful of pure water. Then shake well, and the spoonful is the dose. By giving “**IN ALTERNATION**” is meant, giving first *one* Specific, then waiting the prescribed time, give the *other*, and so on, in turn.

HORSES

Effects of Fear, Fright, or Excitement, or being Over-Heated, or *exposed* to long and severe cold. Give A.A., one or more doses, to prevent evil effects.

Chill.—*Comes on* after exposure, cold draughts, too much cold drink, riding in a cold stream while perspiring, standing in cold and damp while hot.

KNOWN BY—Dullness, hanging the head, standing still, dull eyes, grinding the teeth, quick breathing—in some cases *panting*, prickly coat, trembling and shaking, followed by heat, fever and quickened pulse, or some inflammation.

GIVE—A.A. every half-hour at first, then every hour until all danger has passed away. May develop fever, pneumonia, bronchitis, rheumatism, or other severe disease. Curing the Chill you prevent these.

Influenza.—*Comes on* as an epidemic, or from exposure to cold, damp air, when heated—suppressed perspiration.

KNOWN BY—Dullness, eats little or no food, coughs and sneezes, watery discharge from the nostrils and eyes, which are red and swelled. Sometimes there is a chill, fever, quick breathing, sore throat, frequent cough, bound bowels, red eyes and hot nose.

GIVE—A.A. every hour, and, after six doses, once in two hours; then if the cough is frequent, or difficult quick breathing, alternate the E.E. with the A.A. one dose every two hours, gradually winding up with the E.E. three times per day.

La Grippe or Influenza has appeared in various sections and may become widely prevalent with varied symptoms. **KNOWN BY**—Dullness and low spirits, easily tired, hangs his head, and eats little or nothing, coat stares, breathes more quickly and sweats easily on being worked or moved. Later, skin hot or cold, mouth and tongue dry, hot; eyelids swelled, partly closed, eyes watery, sides of the nostrils fretted, throat may be inflamed and sore, so that he quids his food or splashes the water. Cough frequent, sometimes in fits; breathing sometimes obstructed or difficult. Horse is stiff or even lame on turning or backing; bowels are bound and urine scanty.

GIVE—A.A., a dose every hour, which continue one or even two or more days. It may break up the whole disease. Later, if there is some sore throat or free discharge from the nose or eyes, alternate C.C. with the A.A. at two hours interval; if the breathing is more difficult use E.E. in alternation with the A.A. until quite relieved.

Pink Eye.—*Comes on* in green horses brought from the country; lately appears as an epizootic—affecting large numbers.

KNOWN BY—Dumpish, dull, sick appearance; moves clumsily; eyelids swelled—puffed; vessels, inner lid, and corners of the *eyes* are puffed, unnaturally red, he shrinks from the light, tears trickle over the lid, and lumps of matter gum up the corners. He hangs his head; first one leg then the other swells from the fetlock up and along under the belly; rough hair; ears,

nose and limbs are cold or wet; appetite poor, throat sore, tongue foul, saliva runs freely, or the mouth may be hot and dry; urine and dung scanty, sometimes the glands of the neck or jaw are swelled, or matter may even form, not unfrequently a cough. After a few days a discharge from the nose sets in, which is favorable.

GIVE—A.A. a dose every two or three hours for one or two days. If the glands under the throat are swelled and tender, alternate the A.A. with the C.C. When the *legs begin to swell*, give the H.H. in alternation with the A.A., a dose every three hours. *If the lungs* become involved with cough and difficult breathing, give the E.E. in alternation with the A.A. Feed bran mashes, light hay—no grain, and do not torture him with exercise.

Scarlet Fever.—With fever, increased pulse, hot skin, reddish swelled eyes, sore throat, difficult swallowing—swelled glands, red patches in mouth and in the skin, followed by dropsy—give first A.A. every two hours, for say two days. Then A.A. and C.C. at longer (four hour) intervals. Treatment is the same as for “Pink Eye.” A.A. for Fever, C.C. for Sore Throat, and H.H. for Dropsy.

Distemper or Strangles.—Occurs in young horses.

KNOWN BY—Pulse quick; mouth hot, dry, then frothy. Glands under the jaw swelled; hot, and sometimes breathing very difficult. Swelling under the jaws becomes larger, and may burst, and matter flows.

GIVE A. A. four times per day. **Later C.C.**

Spinal Meningitis.—Is of an epizootic character, prevailing in certain cities and localities.

KNOWN BY—At first dullness, head hangs low, indisposition to move, or moving with stiffness or pain, especially on turning; tenderness and shrinking on pressure on some portion of the spine; want of firmness in standing, and swaying or tottering in walking; easily pushed over. Then back gives out; unable to rise; no strength in hind legs; heat, fever, injected or reddish eyes; suffering look, scanty urine, dry dung.

Congestion of the Head.—Often induced by overfeeding, undue fullness of the stomach, or overexcitement.

KNOWN BY—At first heat of the head, red injected eyes or eyes half shut, dullness, dejection, inattention, sleepy or stupid, unsteady gait, heavy and slow, raises the feet high, is awkward in turning, and can scarcely go back at all. Later, more dull and insensible; chews the food slowly or drops it; and in drinking plunges the head into the water. Yet later, there are violent movements, running blind against things, pulse slow, respiration sighing, tongue foul, mouth dry and clammy.

GIVE—A.A., and repeat every one or two hours. Later give J.K. for the stomach, with light, soft feed. To prevent such attacks, give the A.A. each morning and the J.K. at night.

Fits, Convulsions or Staggers.—Are often simply the result of the *congestion* mentioned above.

GIVE—A.A. at first, and repeat two or three times at intervals, of an hour, or two hours, or until better.

Then alternate the A.A. morning and J.K. at night to prevent further attacks.

Inflammation of the Brain.—Mostly met with in entire horses, in high condition, or it may arise from blows or injuries to the head.

KNOWN BY—At first the horse is dull, stupid and sleepy, succeeded by a state of frenzy. Pulse and breath quick, nose and eyes red and wild; nostrils wide, feet stamp, rearing, plunging with great violence. Then convulsions, foaming, struggling, panting, sweating.

GIVE—A.A. every two or three hours and afterwards the alternation of A.A. and the J.K. four times a day.

Epilepsy.—When horses are subject to FITS or PARTIAL FITS, or STAGGERS, coming on from time to time, give the A.A. one morning, and the J.K. the next, and so on.

Paralysis.—Caused by loss of nervous power; consequence of injuries, severe cold, or some internal cause.

KNOWN BY—Loss of power over the muscles involved. If in the face, the lips hang down and seem swelled, food is picked up with difficulty, drops from the mouth, and chewing is imperfect. When the hind parts are paralyzed, the horse cannot stand, sits on the haunches like a dog, constipation and suppressed urine are apt to be present.

GIVE—At first A.A. once in four hours; then alternate the A.A. and J.K. every four hours. Old cases, the J.K. three times per day.

Inflamed Wind-pipe or Larynx.—*Comes on* from the same causes as colds.

KNOWN BY—Loud whistling breathing, even to danger of suffocation, or short and difficult breathing; cough, at first short and hard, becomes more hoarse and feeble; throat on the outside hot, painful and swelled; swallowing difficult, or impossible; pulse quick, hard and full, and skin hot.

GIVE—A.A. every hour until the heat, pulse and breathing are relieved. Then alternate with E.E. every two or three hours

Bronchitis or Common Cold.—**KNOWN BY**—Cough, quickened breathing, sore throat, low spirits, dislike of food, slight discharge from the nose. Sometimes there is at first a chill; legs, ears and muzzle sometimes cold—at others, hot; coat rough; eyes and nose red, and rattles are heard in the wind-pipe and at the breast. A free discharge from the nose indicates an improvement.

GIVE—A.A. and E.E., a dose every three hours alternate. Keep the patient housed and comfortably clothed until relieved.

Sore Throat or Quinsy.—Often appears in connection with cold or bronchitis, or may be isolated.

KNOWN BY—Difficulty of swallowing, he quids his food, partly eats and drops it; refuses to drink musses about in the water or swallows with reluctance and pain; the throat is hot, painful; swelled on the outside; often the glands under the jaw and below the ears

are swelled. In bad cases there is difficult breathing—always fever.

GIVE—First, A.A. a dose every two hours. After three doses give the C.C. in alternation with the A.A. every three hours.

Inflammation of the Lungs (PNEUMONIA).—*Comes* from exposure to draughts and sudden changes, neglect of blankets or other comforts, long hard riding in cold, bleak, or snowy weather, loitering in bleak places with insufficient covering.

KNOWN BY—A *hard shaking chill*, followed by a hot dry mouth, white-coated tongue, red nose and eyes, hard quick wiry pulse. Taking the air into the lungs is short; stops or is cut off by the pain; forcing the air *from the lungs*, is full and slow. Cough is painful, the side sensitive if pressed upon, skin of the worst side corrugated and twitches occasionally. If pressed *between the ribs* the horse grunts and tries to get away. The *legs, ears* and skin are cold at first, and afterwards become very hot, except the *legs, which remain very cold*. Later, the breathing is more difficult, with heaving of the flanks; nostrils widened; nose and neck held out; fore legs fixed and spread apart, *legs and ears very cold*; breath quick and hot, pulse small and weak; eyes and nose lead colored, skin cold and clammy, etc. (For Auscultatory signs, see “HUMPHREYS’ VETERINARY MANUAL.”)

GIVE—A.A. every hour at first, then every two hours, for the first twenty-four hours, day and night. Then give the A.A. in alternation with the E.E. every three

hours for the next four days. After the fever is down, and cough and breathing relieved, a dose of E.E. four times a day. *Give no other medicine, and make no application except to cover well and flannel bandage the legs. No exposure till fully recovered.*

Heaves—Whistles--Broken Wind—Thick Wind.
—Usually the result of badly cured Pneumonia or Bronchitis, or of neglected cold.

KNOWN BY—Whistling, roaring, hard breathing, panting and undue heaving of the flanks in exercise, travel, or work.

GIVE—E.E. at noon and night, and of A.A. each morning. Old cases, A.A. morning and E.E. at noon and night, with no chaff, straw or bloating feed. Light drink until work is over.

Slavering or Driveling from the mouth—Often comes from inflamed gums or bad teeth or stomach. Give J.K. morning and night

Lampas.—Swelling of the bars or gums of the mouth. **GIVE**—J.K. three times per day.

Inflamed Eyes, Sore Eyes, Weak Sight.—**GIVE** A.A. morning and night, and bathe the eye with one part of MARVEL to two of water.

Colic—Belly-Ache—Spasmodic or Flatulent Colic.
—*Comes on* from flatulent, irritating food; over-feeding; sudden chill or a warm skin; tumors, worms, stones, etc.

KNOWN BY—Uneasiness, pawing, stamping, kicking the belly with the hind foot; looking at the flanks,

groans ; falls on the ground, rolls about violently or lies on his back, which gives ease for the moment. Later, throws himself about wildly, grinds his teeth, bites the manger, looks at his flanks with wild anxious expression. The pain comes in paroxysms, easier for a moment, then worse, finally no free interval. Inflammation may set in, legs and ears become cold, pulse small and wiry, and the animal dies. If the KIDNEYS are involved there is *frequent desire* or *attempt* to stale with but *little discharge*.

GIVE—F.F., a dose every fifteen minutes. If better, give not so often, but wait, or give at longer intervals. If after four or six doses help is not decided, give A.A. two doses, the same intervals, especially so if there is fever, heat or quick pulse, and so continue the use of A.A. and F.F. in alternation until quite relieved ; then a dose or two of J.K. for indigestion.

If, however, the KIDNEYS are involved, known by straining and frequent attempts to stale, give H.H. (instead of the F.F.) in alternation with the A.A., a dose every half-hour or hour.

Inflammation of the Bowels, Red Colic, Enteritis.—

There are two forms of this disease, one attended by bound bowels, the other by purging.—*Comes on* from a sudden cold or a warm skin, cold drink when very hot, long and severe work on an over-feed ; and especially a colic badly treated and drugged with all sorts of medicines.

KNOWN BY—Dull eyes, staring coat, restless moving, pulse and breath quick, may begin with colic, or with

shivering; paws, kicks, rolls about violently, strains, tries to stale, passes but a few drops, PAIN CONSTANT, worse by *pressure* or *moving* about; belly hot, tucked up, unless there is wind, when it will be swelled; bowels costive, with small dry hard dung, or purging of small frequent bloody stools, legs and ears intensely cold, pulse small and hard. Later, sweat all over, pulse smaller, weaker, imperceptible; breathing quick, irregular, sighing, weakness, trembling, failing sight, and death.

GIVE—From the first and all along A.A., a dose every half-hour, afterwards every hour. If there is purging of bloody dung alternate the F.F. with the A.A. at the same intervals, but GIVE NOTHING FOR THE CONFINED BOWELS. After the inflammation has subsided under the A.A. and the F.F., a dose or two of J.K. will bring the dung around all right.

Drum Belly or Tympanitis.—A form of colic, known by an enormous distention of the barrel (body) by wind, violent pain, and frantic actions of the horse.

GIVE—F.F. every fifteen minutes until relieved.

Loss of Appetite, Indigestion, Constipation, Unthriftness, Hide Bound.—Each is usually the result of want of proper care and food, or may result from some internal disease. GIVE—J.K. morning and night.

Crib Biting.—Take away the manger, feed from a bucket, and GIVE—J.K. morning and night.

Bots and Worms.—Bots are rarely troublesome, the fly merely using the intestinal track of the horse as a

place for the hatching of its eggs and rearing of its young. If troublesome, GIVE—D.D. morning and night. For other forms of worms give D.D. morning, and the J.K. at night.

Diarrhea, Purging, Scouring, Looseness.—*Comes on* from green food, new hay; worms; excess of bile, cold draughts or water; too quick work after over-feed. KNOWN BY—Frequent abundant discharge of slime mixed with dung; pain in belly or colic, with stamping, rolling, anxious face and cold sweat; legs and ears cold; pulse small, weak; breath quick; rapid wasting of the body.

GIVE—F.F. four times per day.

Dysentery, Bloody Flux.—May occur in horses in good condition from cold and wet.

KNOWN BY—Frequent passages of slimy, bad smelling passages of fatty matter like grease, more or less mixed with blood, attended with much straining and effort; hot dry mouth; legs cold; no appetite; great thirst; the horse growing weak and thin. In straining the rectum (gut) may be pushed out.

GIVE—A.A. at first two or three doses, if there is fever. Follow this with F.F. every two hours until somewhat relieved, then at longer intervals. Give boiled or steamed feed.

Retention of Urine or Frequent Attempts at Staling, with effort, straining and but little result. GIVE—H.H. every two hours, a dose until relieved.

Inflammation of the Bladder.—Usually the result of diuretics, salt peter, cantharides, or similar drugs,

but may result from cold, exposure, or stone in the bladder.

KNOWN BY—Nearly the same symptoms as inflammation of the kidneys; the horse makes frequent attempts to stale, passes only a few drops at a time; the urine may be clear or much mixed with mucus, or stained with blood.

GIVE—**H.H.** and the **A.A.** if needful for fever, the same as for inflammation of the kidneys, which see.

Inflammation of the Kidneys.—May come from the use of salt peter; long carrying a heavy rider or weight; leaping; being suddenly pulled back on the haunches; exposure to cold rain during exercise.

KNOWN BY—Fever, pulse full, hard, quick; later, small and weak; horse looks at his flanks; stands with hind legs far apart; unwilling to lie down; straddles in walking; pain in turning; back arched; shrinks if the loins are pressed upon; *urine* passed in *small quantities*, with *violent effort* and *straining*, and is frequently *high colored* or *bloody* or suppressed.

GIVE—**H.H.** every two hours. If much fever, alternate Specific **A.A.** with the **H.H.**, increasing the intervals as the patient improves. The **H.H.** is usually sufficient.

Bloody Urine.—**GIVE**—**H.H.** three times per day. If quite profuse, give a large spoonful of **THE MARVEL** on the tongue every two hours also.

Swelled Legs, Belly or Face, Dropsy.—GIVE—H.H. three times per day.

Rheumatism, Stiffness and Lameness.—Quite common in old horses; in younger ones from exposure and over-work, cold and damp, or cold draughts when over-heated may produce it.

KNOWN BY—An acute attack begins with a chill; then lame and stiff all over, or the lameness confined to one leg; the joint or leg, hot, swelled, painful; pulse quicker at one time than another; breath quick, sweat breaks out; animal weak. Called “Chest founder” when it attacks the fore legs, and “Loin bound” when it affects the loins; then the back is arched and belly tucked up. Sometimes shifts from one place to another.

GIVE—A.A. if there is heat or fever every three hours. After the fever is better, alternate the B.B. with the A.A., a dose every three or four hours until restored. The hot swelled limbs should also be bathed morning and night with THE MARVEL.

Strain of the Shoulder.—KNOWN BY—Severe suffering; cannot extend the shoulder, drags the toe; if the leg is lifted and drawn out it *causes great pain*; if the disease is long continued, sinking of the shoulder.

Strain of the Loins.—Horse bends or lowers the quarters in walking; backs with difficulty; trots unsteadily. If severe, cannot back; drags the hind legs, and his quarters tremble.

Strain of the Haunch.—Horse halts a little; spares the affected limb, can neither trot nor gallop. If slight,

scarcely limps in walking; if severe, even standing is painful.

Strain of the Tendon.—Attended with excessive lameness and inflammation of the suffering part. GIVE—**B.B.** three or more times per day. Bathe the part morning and night with **THE MARVEL**.

Spavin, Bog Spavin, Blood Spavin.—**KNOWN AS—** A swelling, and later a bony deposit, or enlargement at the inner and lower side of the hock; sometimes at first the swelling is hot and painful, later becoming a hard, bony, insensible tumor, only causing limping or exertion. In some cases the horse seems tender in one of the hind legs; is a little lame on first starting. On returning stands on the toe of that limb; limps on turning round, or beginning to walk; after moving, lameness disappears, and only returns on moving after standing. This will soon be followed by the swelling. GIVE—**B.B.** three or more times per day in all such cases.

String Halt.—A peculiar jerking up of the hind legs unnaturally high, and putting them down with a spasmodic twitching motion (a form of spavin).—GIVE **B.B.** morning, and **J.K.** at night.

Splint.—From an injury a bony tumor comes in the inside of the fore leg below the knee. Lameness during the forming stage, though rarely afterwards. When coming on there may be fever and heat of the part with the lameness. GIVE—**B.B.** four times per day. If fever and heat, alternate with the **A.A.**

Ringbone.—An enlargement and bony deposit at the crown of the hoof in consequence of a strain and in-

flammation. May affect one or both feet, and may be superficial or involve the deeper structures of the joint. **GIVE—B.B.** three times per day and bathe with **THE MARVEL**.

Over-reach and Tread.—A bruise on the heel of the fore foot, caused from the toe of the hind foot. Or the fore foot caulk may injure the hind foot in backing. **REMOVE** the crushed and torn skin and horn, and the hair around the wound; bathe well with warm water and **THE MARVEL**. Keep it clean and protected with a roller bandage. Apply **THE MARVEL** morning and night. If ulcerated, apply the **VET. OIL**. **GIVE—I.I.** morning and night.

Thrush and Canker.—Inflammation of the sensible frog, secreting offensive matter from the cleft. Later, abundant discharge; horn thin, shrivelled, contracted; discharge very offensive (**CANKER**).

TREATMENT.—Keep the foot dry; free *from dung and stale*. Clean the foot and cleft perfectly; smear the frog and cleft with the **VETERINARY OIL**. Smear the **OIL** night and morning, pressing a smeared rag or tow well into the cleft to keep out the dirt and wet. **GIVE**—Also **I.I.** morning and night.

Affections of the Hock, Knee or Pastern.—*Come on* with heat, stiffness or lameness, which may result in **SPAVIN, SPLINT, RINGBONE**, or other similar defects. **GIVE—B.B.** four times per day at first. If fever or great heat of the part, alternate the **A.A.** with the **B.B.** until the heat is cooled, then **B.B.** three times per day.

Stifle.—Replace the part, give the animal rest, and the B.B. three times per day.

Wind Galls, Puffs, Enlarged Bursa.—Proper care and I.I. morning and night often cleans them up wonderfully.

Dryness of the Joints.—Crackling on moving.—RESULTS of OVER-WORK or LAMENESS, or where the ORIGIN is UNKNOWN. GIVE—B.B. three times per day.

Laminitis, Acute Founder, Inflammation of the Feet.—*Comes on* from battering the feet; too long standing in snow or ice with hot feet; sudden changes.

KNOWN BY—Shaking chill; breath quick; pulse, quick and full; he shifts his feet frequently; hind feet are well under him to take the weight off the fore feet; moans and groans; lies down, unable to stand on the sore feet, which are *intensely hot and painful*. Remove the shoes, pare down the hoof and wrap the feet in wet cloths—renewing as they get dry. If the feet have been battered, bathe with THE MARVEL.

GIVE—A.A., at first every hour, three or four times. Then alternate B.B. with the A.A., every three hours a dose. After a day or two omit the A.A. and continue the B.B. four times per day.

Quarter Crack, Sand Crack.—Dress the crack in the ordinary way, either by barbed nails or a wire driven and riveted across the cleft, which keep well cleaned and smeared with cobbler's wax to keep out dirt and wet. GIVE—Always J.K. morning and night, to cause a tougher and healthier growth of hoofs. For DRY,

KNOTTY, IRREGULAR, BRITTLE, or UNHEALTHY HOOFS, give J.K. morning and night.

Quittor.—A deep narrow opening on the coronet, leading to an abscess in the foot; caused by an injury, tread, corn, or prick of a nail.

KNOWN BY—Lameness, heat and pain, and discharge from the opening. Dress as for an over-reach or tread; inject into the pipe-like opening **THE MARVEL**, full strength, morning and night. **GIVE—I.I.** as often.

Prick in the Foot.—**KNOWN BY**—Heat, pain, and lameness. Remove the offending substance. Bathe the injured part with **THE MARVEL**. **GIVE—B.B.** four or more times per day.

Grease, Grapes, Scratches.—**KNOWN BY**—Heat, swelling and secretion of grease or oil, with deep clefts or cracks in the heels. In bad cases the deep clefts are filled and surface covered with unhealthy growths (**GRAPES**). Keep the parts clean and dry as possible. Apply the **VET. OIL** morning and night. **GIVE—I.I.** as often.

Mange.—May be dry, with small red pimples, or moist—secreting. **KNOWN BY**—The itching, causing uneasiness and rubbing—most in the mane and root of the tail. **GIVE—I.I.** morning and night, and apply **VET. OIL**.

Barrenness or Sterility in Mares, Cows, or other stock.—The mare or cow is indifferent, does not come in heat, or is always excited, too ardent, and casts the seed, or may have discharge from the bearing. **GIVE**

—either **G.G.**, the usual dose daily for a week or more before service, or *until service*—and then a dose occasionally, especially if there is a leucorrhea or constant discharge from the bearing.

Out of Condition, Staring Coat, Off his Feed, No Appetite or Spirit.—Often the result of over-feed or over-work, with bad or deficient feed, or working too soon after feed, or sometimes from defective teeth. The coat becomes rough or hide-bound, the horse sweats easily; no life or energy; grows poor and thin; tongue foul, mouth slimy; dung dry or undigested, or bad smelling; sometimes eats greedily; others will not eat or merely a trifle, or will take only their straw or bedding; others also cough.

TREATMENT.—Give first **J.K.**, three or more times per day for four days or a week. Then give **J.K.** morning and noon and **I.I.** at night with care of feed and work.

HORNED CATTLE.

Quarter Evil—Joint Murrain.—Neck extended; eyes protruded; muzzle dry; breath hot; root of horns hot; mouth partly open; tongue swelled; pulse full—hard; breathing quickened—labored; flanks heave; and low moaning. Stands, will hardly move; lame in one or both quarters; falls, cannot rise; *extreme tenderness of loins and back*; swellings on shoulders, back or loins. Black patches in the skin; ulcers about the belly, quarters, teats and skin—and later, everywhere; bloody discharges from nose and mouth; bloody urine and dung.

GIVE—A.A. first day, then alternate A.A. and I.I. Alternate dose every four hours.

Vesicular Epizootic.—Blisters about the mouth, hoofs and teats; eyes dim, watery, congested; muzzle, ears and horns alternately hot and cold; milk diminished, yellow and thick; bag swelled, tender, hot; back arched; pulse and heat increased. Blisters burst after eighteen hours, leaving shallow ulcers, which become deep. Animal suffers intense pain; is lame, often unable to stand; the hoofs swell and may even fall off. In bad cases, fever is high; strings of bloody mucus run from mouth and nose; face swelled; breath foul; diarrhea and death. The bag and teats in milch cows are painful, scabbed and sore; she holds back, prevents stripping and so may die of inflammation.

GIVE—C.C. every three hours. After first day alternate I.I. with the C.C., a dose each four hours.

Rheumatism.—From cold, wet or over-work. **KNOWN BY**—Painful stiff joints and back in moving; no appetite;

back painful if pressed upon; lays down, can move only with pain and difficulty; joints may become swelled, hot and tender—sometimes heat and fever.

GIVE—B.B. every four hours. If fever, alternate with A.A.

Lumbago.—Where the rheumatism locates in the muscles of the back, treat as for Rheumatism.

Inflamed or Sore Eyes.—Bathe with THE MARVEL, part water, and give A.A. morning and night.

Fits, Convulsions or Staggers.—GIVE—A.A. after the fit, then A.A. morning and night (occasionally).

Mange.—Cleanse the skin with a brush (which burn after using), apply VET. OIL, and give I.I. morning and night.

Hide Bound—Bad Condition.—GIVE J.K. daily.

Cold in the head.—With discharges from the nose, first thin, then thick—fretting the surface.

GIVE—C.C. If fever, alternate with A.A.

Horse Catarrh or Common Cold.—Dry nose; cough; discharges from the nostrils; stiff limbs; purging; cold, then hot skin; failing milk; quick pulse and breath.

GIVE—A.A. four times per day. Sometimes follow with E.E.

Cough.—The same treatment.

Sore Throat.—With difficult swallowing; food partly chewed and dropped, or fluid returns through the nostrils; throat and glands of neck swelled, hot and painful.

GIVE—A.A. once in four hours, then **A.A.** and **C.C.** alternately.

Bronchitis.—Mouth dry and painful; breath hot and quick; hearing obstructed; coat stares; skin dry.

GIVE—A.A., then **A.A.** and **E.E.** alternately, four hours apart.

Pleurisy, Pneumonia (though different diseases, are treated in this system by the same Specifics, and so may be described together). **KNOWN BY**—Dullness; hanging head; dry mouth and nose; horns, ears and feet are hot at one time, and cold another; pulse full and quick; appetite gone and rumination suspended; quick breath and heaving flanks, attended with a grunt; cough with pain, as if cut short; sides tender if pressed upon; thirst great; bowels bound; dung dark; spine is tender; head extended; eyes staring, tears form; nose discharges first water, then reddish with blood. Later, breath more difficult, labored; cough comes on in fits; nostrils widened and flap; body sweats; pulse weaker and more frequent until the last.

GIVE—A.A. every two hours in bad cases at first. After twenty-four hours, alternate **A.A.** with **E.E.**, a dose every three hours. In very bad cases after three days, may try the **I.I.** in alternation with **E.E.**

Loss of the Cud.—Generally Indigestion.—Give **J.K.** If there is fever **A.A.**

Constipation.—If (as is more common) from indigestion, give **J.K.** If from inflammation, give **A.A.**

Colic.—From sudden changes of food; bad food; musty corn; drinking cold water when hot. Animal paws; strokes the belly with hind legs; lies down, rises; grinds the teeth; moans; falls down suddenly or squats like a dog, or lies on its back or acts as if frantic; thirst; constipation; horns, ears and feet are alternately hot and cold.

GIVE—F.F. every half hour. If hot or feverish, alternate with A.A.

Hoven, Wind Blown, Tympanitis, Drum-Belly.—**KNOWN BY**—*Immense drum-like distention*, especially the left side, with gas; swelling yields to the finger, and gives a hollow drum-like sound when struck; sour, offensive belchings of wind; does not move; neither eats nor chews; breath quick, short, puffing. (If the distention is from over-eating grain, the flank feels solid on pressure and gives no hollow sound when struck). Give—F.F., a dose every quarter or half hour until relieved; afterwards J.K.

For Distention from over-eating grain.—Give alternately J.K. and F.F. every hour.

Indigestion.—Loss of appetite; hard, scanty dung or diarrhea, give J.K.

Diarrhea.—Mostly in old cattle. Give F.F. Extreme cases, try I.I. **FOR DIARRHEA IN YOUNG CALVES OR COLTS**, F.F. is *the remedy* and may be given every hour, or even half hour at first.

Dysentery or Bloody Flux.—With purging, pain and straining—often forcing out the anus; dung watery,

with white shreds or dark colored blood; horrible smell—or simply purging and wasting away.

GIVE—F.F. every three to six hours. Old wasting cases, alternate I.I. with the F.F.

Apthae—Thrush.—In sucking calves, with mouth full of small ulcers or white blisters, frothy, stringy slime runs from the mouth.

GIVE—C.C. morning, and I.I. at night—or even each, twice per day.

Clue, Fardel-Bound, Dry Murrain.—Usually caused by coarse food or sudden change of diet, with excitement or dullness. KNOWN BY—Dry muzzle; protruded tongue; full, red eyes; quick, hard pulse; dry, scanty dung; scanty and bad milk; followed by trembling, bleeding and death.

GIVE—A.A. at first every three hours, then alternate A.A. and J.K.

Jaundice or Yellows.—With eyes, skin and urine yellowish; scaly skin; dry dung at first, then purging.

GIVE—In torpid cases, Specific J.K. morning and night. Acute cases, with fever and hot mouth, A.A. and J.K., alternate four times per day.

Inflammation of the Liver.—Animal lies down, cannot walk or stand without pain; eats little or nothing; eyes, mouth, nose and teats and urine become yellow; scanty, clay-like dung; yellow bitter milk, soon becoming cheesy.

GIVE—A.A., then alternate with J.K., a dose of each twice a day.

Inflamed Stomach—Gastritis.—With dry muzzle; ears, horns and feet cold; belly swelled; uneasiness; scanty, thin, yellowish stringy milk; spasms and colic—sometimes intense; tongue contracted, red at the point and edges.

GIVE—A.A. every hour at first; after improvement, **I.I.** and **J.K.**

Inflamed Bowels—Enteritis.—With violent and **CONSTANT** pain (in colic, it is intermittent); small, hard pulse; quick breath; hot mouth; red, protruded eyes; pawing and kicking; frequent efforts, but little or no urine; hair rough; loins tender; swelled on left side; dung hard, or some liquid is forced out.

GIVE—A.A. every half hour at first; later every one, or three hours. If much bloated, give **F.F.** once or twice, also apply hot water through wet cloths to the surface.

Inflammation of the Peritoneum, OR COVERING OF THE BOWELS.—*Comes* on from injuries after castration; sudden cold, or after calving, with high fever; abdomen *very sensitive*, even when touched; and hot, swelled belly; back bent downward; ears and hoofs cold; pulse rapid, short, wiry.

GIVE—A.A. every hour; or later, every two or three hours.

Flukes or Rottenness.—Caused from fluke worms in the liver and bile ducts—with depression; no appetite; watery and yellowish purulent eyes; yellow tints of all parts not covered with hair; fetid smell of nose and mouth; white, fetid, watery dung.

GIVE—A.A. the first day or two, then alternate with **C.C.**, a dose four times per day.

Fall of Rectum.—GIVE—J.K. every morning and night.

Rupture.—GIVE A.A., then **J.K.**

Suppressed, Painful or Scanty Urination.—GIVE H.H. three times per day.

Inflamed Bladder or Kidneys.—With straining to pass water; back arched or bent down; dung scanty and passed with pain; gait stiff; no appetite; intense thirst; water scant—at first limpid, then thick and deep red.

GIVE—H.H. every two, three or four hours.

Red Water—Black Water.—First, dullness, unthrifty, poor appetite; tender loins; then reddish, **DARK—EVEN BLACK WATER**; no appetite; quick, full pulse; white of eyes, and even skin yellowish brown; dung loose, watery, dysenteric or obstinately bound.

GIVE—A.A. four times per day, then alternate with **H.H.**—same intervals. (See Veterinary Manual.)

Cleansing after Calving.—GIVE—G.G. every four hours.

Flooding after Calving.—GIVE—G.G. every hour.

Sore Teats—GIVE—I.I., and apply the **VET. OIL**.

Inflamed Udder, Garget.—Keep bag well drained. **GIVE—A.A.** four times per day.

Milk Fever—Dropping after Calving—Puerperal Fever.—*Comes* on one or two days after calving.

First,—depressed; dull appetite; hot horns, nose dry and hot; urine scanty; dung hard, lumpy; pulse full; breath quick, with heaving flanks. Later,—Milk reduced or stopped; eyes bright, staring or red, streaked and protruded; legs weak—separated; standing uneasy, shifting from one leg to the other; falls or lays down; bag hard; tossing the head; moans; bellows; great pain; breathing difficult, labored; skin covered with clammy sweat; paunch swelled from gas.

GIVE—A.A. every two or three hours, with good nursing and care. (See Veterinary Manual.)

Abortion or Slinking.—To prevent:—Give G.G. twice per week, about the time when it is feared. For the warning symptoms.—Hollow flanks; enlarged lower belly and bag; yellowish discharge from the bearing; dullness and feverish. GIVE—G.G. every six hours. (See Veterinary Manual.)

Chaps—Cracks—Eruptions and Fungus.—GIVE I.I. daily, and apply the VET. OIL.

Burns or Scalds.—Apply the VET. OIL, and give A.A. For Ulcerations, give I.I.

Sprains, Strains, Lameness.—GIVE—B.B. morning and night, and bathe with the MARVEL.

Choking.—A pinch of coarse gunpowder put under the tongue often causes the animal to throw up the mass. Try pouring down sweet oil or soft grease and then pressing it back with the fingers; or drive it

down with a probang made of $\frac{3}{4}$ inch rope wound near the end and used as a ram-rod; then give—**A.A.**

Wounds, Fractures, Poisonous Plants and Diseases of the Bones. (See Veterinary Manual.)

Sterility, Failure to Conceive or Come in Heat, Barrenness.—Give every day a dose of **G.G.**, which continue for one or two weeks until the natural Heat or restlessness disappears.

Diseases of Sheep.

WHEN A NUMBER OF SHEEP, or a flock, are to receive medicine, the best and most economical method is as follows: Procure a new or perfectly clean pint bottle and cork, fill it two-thirds full of pure water, to which add a *large spoonful, or sixty drops*, of the proper specific, **SHAKE IT THOROUGHLY**, so as perfectly to medicate the whole mass. Of this, a dessert spoonful is a dose for a sheep. Paste a proper label on the bottle and use it only for that specific, so as to prevent mistake or confusion.

Apthae or Thrush.—Frothy, stringy saliva runs from the mouth, which is full of small blisters. **GIVE—C.C.** morning and night.

Red Water.—Results from exposure, unwholesome food. Sheep is dull, stupid; head on one side; eyes staring or blind; bowels very costive. **GIVE—A.A.** three or four times per day.

Braxy.—From over-eating rich, fattening food. Sheep is weak, staggers, trembles,—often unable to rise, seems paralyzed in hind quarters; eyes blood-shot watery or full of mucus; yellowish flux from the nose; mouth red and hot; breathing difficult; urine scanty, bloody; dung dry and hard; pustules on the skin.

GIVE—A.A. every one, two or three hours; then A.A. and I.I., alternate four doses per day—taken early. Violent exercise is of benefit.

Fever and Dullness.—Keeps alone; pulse and breath quick; eyes red; mouth dry. **GIVE**—A.A. twice per day.

Inflammation of the Brain.—Does not eat; hanging ears and head; gait staggering; eyes bright red, protruded; hot, short breath; heaving flanks. **GIVE**—A.A. from one to three hours.

Water in the head.—Lambs may be born with it. Head large, bones soft—or it may come on gradually. **GIVE**—I.I. daily.

Apoplexy.—From plethora or over-eating. The sheep staggers, falls; is confused, after having been dull, sleepy, half blind, etc. **GIVE**—A.A., one or more doses.

Palsy.—(See under Horse or Cow.) **GIVE**—I.I. morning and night.

Louping Ill—Hydro-Rachitis.—*Comes* from coarse feed and water. Appetite depraved; eats unnatural things; falls down, struggles—no control over limbs; staggering or palsy of the hind legs.

GIVE—A.A. first, then alternate with **J.K.** Worse cases **J.K.** with **I.I.**

Epilepsy—Fits.—The sheep stares, staggers, falls convulsed. **GIVE—A.A.,** then **J.K.**

Rabies—Hydrophobia.—**GIVE—A.A.** to all affected or suspected sheep.

Dizziness, Staggers, Turnsick, Gid.—Most common among lambs, and in wet, marshy places. *Comes* from worms or hydatids in the brain; with dullness; careless stagger when walking; runs as if frightened; head carried unnaturally; turning to one side, or round and round. **GIVE—A.A.** at night at first, then not so often—or **A.A.** and **C.C.** alternately. Slaughter the worst cases.

Coryza, or Cold in the Head.—**GIVE—C.C.** morning and night, or **A.A.** if fever.

Catarrh—Common Cold.—The same treatment.

Cough, Laryngitis, Bronchitis and Strangles.—The same treatment.

Black Muzzle.—Black scabby eruptions about the muzzle, eyes and ears. Give—**I.I.** daily, and apply the **VET. OIL.**

Pneumonia—Inflamed Lungs.—From exposure to severe weather; with loss of cud; hanging ears; head held up; mouth open; breath quick, labored, with heaving flanks; inside nose and whites of eyes reddened; discharges from nose; frequent cough and rattling in throat. Give—**A.A.** every two hours. After a day alternate **E.E.** with **A.A.** every three or four hours.

Hooven—Blown.—Whole body *swelled*,—*drum-like*. Comes from eating clover. Give—**F.F.** every half hour, until relieved.

Colic—Gripes.—Lambs sometimes have it. Give—**F.F.**—soon relieved.

Diarrhea and Dysentery.—With profuse frequent dung or purging; with sticky, slimy flow; pain or straining; black, offensive, bloody and watery. Give—**F.F.** two or three times per day, cleansing the part with soap and water.

Inflamed Liver.—With fever, hanging head, heaving flanks, bound bowels, *yellow skin*, *eyes and corners of eyes*, right fore leg lame. (See diseases on horse or cow.) Give—**A.A.** three times per day.

Splenitis.—(See same disease in the Cow.)

Dropsy—Water in the Belly.—KNOWN BY—Putting the hand against one side, and tapping the opposite with the other, when the fluctuation of the water, if present, will be noticed. Give—**H.H.** morning and night.

Founder.—Walks slow, poor appetite, great thirst; then very stiff, hot feet; will not walk from pain; raging thirst; short breath; heaving flanks. Give—**B.B.** three times per day, or alternate with **A.A.** if there is high fever.

Worms.—GIVE **D.D.**

Miscarriage.—To prevent, give **G.G.** (See Vet. Manual.)

Milk Fever.—(See on cattle.) Same Specific.

Inflamed Bearing.—Cleanse with water, and apply the VET. OIL.

Inflamed Udder.—GIVE—A.A. morning and night.

Rheumatism—Lameness.—Moving stiffly or lame, GIVE—B.B. morning and night.

Swelled Joints—Leg Evil.—In young lambs. *Comes* from cold; with heat, swelling, stiffness and painful joints. GIVE—A.A., then I.I.— with proper shelter and care.

Pock.—(See Vet. Manual p. 345.) Inoculate the entire flock. GIVE—During fever A.A., afterwards I.I. daily.

Mange or Itch.—First small pimples, then blisters with thick, sticky fluid; ulcers; wool comes off, leaving raw scabby patches. If slight, give I.I. daily. If prevailing, give the whole flock a bath of lime and sulphur, 25 pounds of sulphur to 100 of lime.

Gad Fly, Louse, Tick Fly.—(See Vet. Manual.)

Diseases of Swine

Brain Fever.—With dullness, then white of the eye reddened, breath quick, strength reduced, runs about blind and unconscious. GIVE—A.A. every three hours.

Strangles—Quinsy.—*Comes* suddenly; swelled under the throat; swallowing painful, obstructed; breath difficult, heaving; eyes red; tongue hangs out, red.

swelled, and slime flows from it. GIVE A.A. intervals of four hours.

Common Cold—Coryza.—Discharges from the nose of thin watery or bloody fluid, followed by cough and weakness. GIVE—C.C., if fever A.A., every four hours.

Inflamed Lungs.—Chill; red eye; hot breath, quick and panting; head stretched forward; frequent cough; flow of phlegm; tongue thrust out and sweat. GIVE—A.A.; later, alternate A.A. and E.E. four times daily.

Colic.—Restless, rolling in pain. GIVE—F.F.

Inflamed Bowels.—Same symptoms, but continuous; worse on pressure, rubbing or moving. GIVE—A.A., alternate with F.F. every two hours.

Diarrhea or Purging.—GIVE—F.F.

Measles.—First, hot dry skin; dry nose; swelled or red eyes and nose; dry cough; then risings on the skin, more between the legs (often sloughing), leaving sores behind. GIVE—A.A. at first, then I.I. two or four times per day.

Mange.—GIVE—I.I.

Diseases of Dogs.

Distemper.—At first, dullness, no appetite, often purging or vomiting. Later, cough; red, sensitive eyes, with discharge of thick matter; nostrils covered with glossy yellowish fluid, frequent cough, with discharge of yellow frothy fluid from the stomach; hot skin. Yet later, wasting; eyes and nose filled with

thick matter; breath fetid; lips ulcerated; often St. Vitus' dance, or palsy.

GIVE—First, **A.A.**; later, **C.C.**—and finally **J.K.**; if twitching or palsy, two to four doses per day.

Fever.—Increased heat; quick, strong pulse; dislike to move; then very restless; thirst, quick breath; red, swelled eyes; dry, parched nose; hot mouth—sometimes unconscious. **GIVE**—**A.A.** every two to four hours.

Putrid Fever.—Above Symptoms intensified, and quick, weak pulse; scanty, high colored urine; disgusting odor of perspiration and flux; heaving; groaning; starts, as if frightened. **GIVE**—**A.A.** at first every three hours; later, alternate **A.A.** with **I.I.** four hours between.

Rheumatism—Kennel Lameness.—Stiff fore legs and shoulders; chest tender, when pressed; swelled, hot and tender knees; quickened breathing; hot, dry nose; limps; trails one paw or holds it up. **GIVE**—**A.A.** if hot or feverish. Later, **B.B.** in alternation with **A.A.**, two doses of each per day.

Dropsy.—(See Dropsy in Sheep.) Same treatment.

Apoplexy.—Sudden, partial or complete loss of consciousness or motion. **GIVE**—**A.A.**, and apply cold water to the head with a sponge.

Palsy—Paralysis.—Partial or complete loss of motion, most frequent in hind legs; staggers, falls or drags his hind legs after him. **GIVE**—**J.K.** three times per day.

Epilepsy or Fits.—He staggers or falls down; then violently convulsed, stiff legs; distorted face; rolling eyes; and tongue thrust out. GIVE—A.A., later J.K.

Chorea, St. Vitus.—Often sequel of distemper; with twitches, jerks of leg, shoulder, face, neck or eyelids; he wastes, eats and sleeps badly, or may become palsied.

GIVE—A.A. morning and J.K. at night.

Ophthalmia—Inflammation of the Eye.—Bathe with the MARVEL, diluted one-half with water, and GIVE—A.A. morning and night. Old cases, alternate with I.I.

Amarausis, Cataract, and for Eruption on the Eyelids.—The same treatment.

Canker in the Ear.—The internal ear is inflamed. Comes from injury, over-feed, want of exercise; it looks red, is painful, may ulcerate and discharge. GIVE—A.A. and I.I. as above, and apply VET. OIL.

Swelled Ears and Scurfy Ears.—Apply VET. OIL daily, and GIVE—I.I. morning and night.

Catarrh, Common Cold, Ozaena.—Discharge from the nose.—Comes from a cold; at first, thin, watery—then thick. In old cases (Ozaena), offensive. GIVE—C.C. three or more times per day, feed only milk and keep him in.

Sore Throat.—With hoarse cough; noisy breathing; swelled glands and part of the neck; difficult swallowing; difficult breathing, even to suffocation. GIVE—A.A. every hour, and in bad cases apply hot wet cloths to the throat.

Bronchitis.—In old dogs. Comes from sudden changes; cold draughts, with short, hard cough; fever; quick pulse, and breathing; loss of appetite—often wheezing and mucus rattle. GIVE—A.A. and E.E. alternately. Feed bread and milk; keep the patient in an even temperature.

Asthma.—Resembles broken wind in horses; affects fat, petted middle aged dogs. For a fit of asthma give A.A. every hour. Followed by E.E. morning and night—or try I.I.

Inflammation of the Chest.—Result of cold; with chill, then heat and thirst, sides painful; he sits upon his haunches; breath hot; cough short, painful; tongue out; pulse quick—full. GIVE—A.A. every two hours first day, then alternate E.E. with A.A.

Cough.—GIVE—E.E.; if fever A.A.; if from over-feed, J.K.; and if from having been wet, I.I.

Salivation.—From mercury, sore swelled gums; loose teeth; dribbling of saliva. GIVE—A.A. morning and night.

Canker in the Mouth.—Common and troublesome. Swelled gums; bloody, offensive discharges; difficult eating; emaciation. GIVE—J.K. morning and night, and wash the mouth daily with the MARVEL.

Indigestion.—GIVE—J.K. two or four times per day.

Vomiting.—May be excessive, and require J.K.

Inflammation of Stomach.—Great pain; he kicks, rolls; constant retching; dry, hot nose; cold extremities; quick breath. GIVE—A.A. every hour and only cold water.

Diarrhea and Dysentery.—Frequent loose discharges—sometimes with straining, mucus and blood; loss of strength; wasting. GIVE—F.F. every two to six hours, and only boiled milk.

Inflammation of the Bowels.—Constant, extreme pain; belly tender and hot; thirst, constipation or bloody passages. GIVE—A.A. every hour. Hot fomentations are beneficial.

Colic.—Sudden pain comes in paroxysms. GIVE—F.F. every half hour.

Constipation.—GIVE—J.K. morning and night.

Worms.—GIVE—D.D. two or three times per day.

Jaundice.—With yellow skin and eyes; dull, sleepy. GIVE—A.A. and J.K., alternate, morning and night.

Inflamed Kidneys or Bladder.—With tender loins; stiff gait; frequent effort to urinate, which is scant, thick or bloody. GIVE—A.A. and H.H. hourly, alternate.

Eczema, Mange, Surfeit.—From insufficient exercise, too close kennel, gross or bad food; with itching, bare or red places, hair and scabs or scales fall off. Regulate feed and exercise. GIVE—I.I. morning and night, and apply VET. OIL.

Louse, Tick, Flea.—Wash thoroughly with Sulphur Soap, well rubbed in.

Sore Feet.—Bathe with the MARVEL and give—A.A. morning and night.

Diseases of Fowls.

For Cold or Cankered Mouth.—give first A.A. to be followed by C.C. **For Apoplexy, or Paralysis,**—give A.A. **For the Black Rot,**—give C.C. **For Bronchitis,**—give A.A. **For Bumble Foot,**—give J.K. or if it be inflamed, give A.A. **For Canker,**—give C.C. **For Cholera,**—give F.F. **For Catarrh,**—give A.A. **For Consumption,**—give E.E. **For Cramp,** if from cold, give A.A.; if obstinate, give J.K. **For Crop Bound,**—give J.K. **For Debility, or Drooping,**—give A.A. or J.K. **For Diarrhea or Scouring,**—give F.F. **For Eruptive or Scaly Legs,**—give I.I. **For Gapes, or Throat Worms,**—give D.D. **For Gout, or Rheumatism,**—give B.B. **For Leg Weakness,**—give J.K. **For Giddiness,**—give A.A. **For Indigestion and Liver Disease,**—give J.K. **For Debility in Moulting,**—give J.K. **For Pip or Chirp,**—give A.A. **For Roup,**—give A.A. during the inflammatory stage, and C.C. for the catarrhal stage. **For Rump Ail,**—give J.K.

Doses, and Methods of Preparing for Use.

One drop, put into a teaspoonful of water, or milk, and this put into a teacup, so as to be thoroughly mixed, is a sufficient dose for five Fowls of full size, or ten chickens.

Where a flock is to be treated, drop ten drops of the proper Specific into a cup, to which add ten teaspoonsful of water, milk, or curdled milk, and after stirring it thoroughly with a clean spoon, mix this with the meal, grain or bread, or whatever food is given them. This will be enough for fifty fowls.

Bread soaked in milk or water, cooked cracked wheat, or curdled milk, is in general the best food for sick or ailing fowls.

For more full and complete directions, see HUMPHREYS' VETERINARY MANUAL.

Humphreys'

Homeopathic



Veterinary

Specifics

FOR THE TREATMENT OF

Horses, Cattle, Sheep, Dogs, Hogs & Poultry.

That the diseases of domestic animals—HORSES, CATTLE, SHEEP, DOGS, HOGS, and POULTRY—relieved by Humphreys' Homeopathic Veterinary Specifics, is as true as that people ride on railroads, send messages by telegraph, or sew with sewing machines. It is as irrational to bottle, ball, and bleed animals in order to cure them, as it is to take passage in a sloop from New York to Albany, or to send your letter in a stage coach from Buffalo to Boston.

FOR FIFTY YEARS Humphreys' Homeopathic Veterinary Specifics have been used by *Farmers, Stockbreeders, Livery Stable and Turfmen, Horse Railroads, Manufacturers, Coal Mine Companies, Traveling Hip-*

podromes, Menageries, and others handling stock, with perfect success.

These people, thousands in number, find from repeated experience that all diseases of domestic animals are relieved by Humphreys' Homeopathic Veterinary Specifics in half the time and at half the expense of any other system of treatment.

That prejudice should exist among those not informed against the use of Humphreys' Specifics for domestic animals is natural. Animals have so long been dosed with enormous quantities of poisonous drugs that it requires some boldness to adopt a system at once so mild and yet so efficient.

While Homeopathic treatment is safe and reliable for men, women and children, it is even more so for horses and cattle. This is the testimony of more than *fifty years'* successful treatment with Humphreys' Veterinary Specifics in every form of disease and by every class of persons.

The Specifics are a vast improvement over the ordinary form of Homeopathic medicines, or tinctures, being much more simple, safe, reliable, and efficient. HUNDREDS OF ANIMALS ARE DESTROYED every year by giving *crude* Homeopathic medicines in the *old school doses*.

Humphreys' Veterinary Specifics are prepared *as they should be used*,—doses strong enough to relieve and not strong enough to injure. Homeopathic tinctures may seem at first sight to be cheaper, yet they are really more expensive, as a larger number of

medicines has to be purchased, while in buying the Specifics you get just what you need.

A case of **Humphreys' Homeopathic Veterinary Specifics** consists of neat CHEST, with lock and key; the MANUAL, or BOOK OF DIRECTIONS; the MEDICATOR, and TEN FLAT VIALS OF MEDICINE; each holding *fifty doses*, lettered and labeled to correspond with the book, and jar of VETERINARY OIL, all as described below.

(See cut of Case on 6th page.)

The MANUAL or BOOK, gives a full account of ALL DISEASES OF HORSES; CATTLE, SHEEP, DOGS, HOGS, AND POULTRY; each in their appropriate chapters. Every disease is given in full, with its symptoms and stages, and the treatment is SIMPLE, DIRECT, AND EASILY UNDERSTOOD, so that any person of ordinary intelligence can give the medicines correctly. Indeed MR. GEO. E. WARING, the highest authority on this subject, says: "I consider **Dr. Humphreys' Veterinary Manual** THE ONLY BOOK sufficiently *simple* and *direct* for farmers' use."

The MEDICATOR is a small *bent glass tube*, invented by DR. HUMPHREYS, with a funnel end and rubber cap, by means of which the proper dose of medicine for any animal is at once taken from the bottle, and by simply pressing on the rubber cap, the dose is given to a HORSE, COW, SHEEP, DOG, or even HOG, in a moment, without trouble, delay, or danger.

A case of **Humphreys' Homeopathic Veterinary Medicines**, with Book, Medicator, and Ten Bottles of

Specifics, all complete, is sold for **Seven Dollars**, and is sent free to any address, by express, on the receipt of price.

The advantages of Humphreys' Homeopathic Veterinary Specifics over every other medicine or system are these:

- I.—You have a Remedy for the particular disease or complaint you wish to treat. If the disease is Colic, or Cough, or Founder, or Heaves, or Pneumonia, or Indigestion, or Lameness, or from the Kidneys, you have at once the remedy at hand, you know just what to do, and how to do it.
- II.—You give the medicine at once. Not an hour or a moment need be lost. You need not prepare or mix it. IT IS READY JUST AS YOU WANT IT.
- III.—You give the medicine without trouble—no tying, bottling, choking, or harsh treatment, irritating the animal and endangering the owner. A horse need not even be taken from his traces, or a cow from her stall. A herd of cattle or a flock of sheep may be medicated with but little difficulty.
- IV.—You are in no danger of poisoning or drugging the animal to death, as is very often done under other modes of treatment. And is constantly being done by using the usual Homeopathic Tinctures.
- V.—The relief is much more rapid. The medicine takes effect at once.

- VI.—The animal gets up quicker and better, because it has not to recover from the results of drug-ging, poisoning, or bleeding, by which so many animals are ruined.**
- VII.—The treatment costs less than the usual drugs or mixtures, or even the simple Homeopathic Medicines. One bottle of Specific answers in place of several bottles of simples. One of our \$7 CASES, with BOOK, lasts many years.**
- VIII.—You will save many animals by this treatment, which you will lose under any other method.**
-

WHO USE THEM.

HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS are used by those engaged in the breeding, handling or sale of Domestic Animals of any kind, especially by—

Farmers and Dairymen.—The annual breeding of stock, and production of milk, constantly occasion more or less accident or sickness, which must be met and cured, or loss results. In a herd of fifty cattle, an annual loss of one or two cows from Milk Fever, Puerperal Fever, Dropping after Calving, etc., to say nothing of other more destructive diseases, is common. Nine-tenths of these losses may be avoided by the use of these very efficient Specifics.

Livery Stable Men, Professional Horse Dealers, and Horse Fanciers,—such men cannot afford to be without these Specifics. The relief is so much quicker, the medicine is given with so much LESS TROUBLE, and the result is so much MORE SATISFACTORY that these Specifics are almost a NECESSITY.

Importers and Breeders of Blooded Stock.—Where

the loss of a single animal involves hundreds or even thousands of dollars,—these men know the value of different systems of treatment and means of cure, and their certificates show how they value the VETERINARY SPECIFICS.

Horse Railroad Men, in cities and large towns, have fully tried all systems of treatment and forms of remedies, and for SIMPLICITY AND ECONOMY give these the preference.

Approval of DR. HUMPHREYS' PREPARATIONS has been bestowed by the Medical Authorities of different American Republics. Their introduction into France has been allowed by the French Government. They have been approved by the National Board of Health of the Argentine Republic and by the National Board of Health of the United States of Brazil.

Out of thousands of commendations we select the following

Testimonials.

ST. PAUL, MINN., September 13th, 1886.

MIDWAY PARK, N. W. KITTSON, Proprietor.

D. W. WOODMANSEE, Traveling Manager.

B. D. WOODMANSEE, Superintendent.

I have used HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS for the past four years in the stables of Commodore Kittson, and the results have been entirely satisfactory. We use the medicines exclusively for COUGHS, COLDS, FEVERS, ERUPTIONS, STIFFNESS—and in short any ailment that our horses

may have. Previous to using this medicine, our losses by death were large; *since using the Specifics exclusively, we have not met with a single loss*, except one mare who ran a nail in her foot, and died three weeks afterwards with Paralysis. This medicine should be used in all stables, as it can be given with more intelligence by the average man, than any other kind of medicine.

D. W. WOODMANSEE, Manager.

BALTIMORE, MD., February 14, 1882.

This may Certify, That I have used HUMPHREYS' HOMEOPATHIC VETERINARY SPECIFICS two years, and find that they do all that is claimed for them. I had thirty horses sick with "PINK EYE," and did not lose a horse. I find for COLIC, either *spasmodic, flatulent, or renal*, the Specifics, given according to the directions in the book, will relieve every time, quicker than any other medicine I have ever used. I use them in every case of any kind, and nothing else.

ANDREW JACKSON, Supt., Monumental Livery Stables,
35 and 36 North Street, Baltimore, Md.

CHICAGO, January 24, 1884.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—Since having had charge of the horse department of the North Chicago City Railway, I have treated with your VETERINARY SPECIFICS the various diseases incident to horses, and have had some very severe ones, but have been almost always successful. I had one very bad case of COLIC, so severe that I feared your Specifics were not powerful enough, and used Allopathic medicines. The horse died, and I am now convinced I could have saved him by your treatment. Since that time I have used no other medicines and have cured many bad cases of PINK EYE, DISTEMPER, INDIGESTION, COLIC and COLDS. I shall use no other medicines so long as I can get yours, for they are the best in the world.

Yours truly,

N. ATKINS, Supt.,
North Chicago City Railway.

HUMPHREYS' S. H. M. CO., NEW YORK:

MR. WM. B. SALISBY, Foreman of Adams' Express Stables, states that, "I have been in this barn for several years and always used Allopathic medicines until your agent called upon me, some two or three years since, and induced me to try a case of your VETERI-

NARY SPECIFICS. They have proved so **SUCCESSFUL** in **EVERY** **INSTANOE**, that I think there are no such efficacious medicines as yours. They are all you claim for them, and I will say that as long as I have anything to do with horses I shall use no other, and will recommend them to all persons having care of horses."

HUMPHREYS' H. S. M. CO., NEW YORK:

MR. HINSER, the Foreman of the American Express Co.'s Stables, states that he has treated horses for various diseases, such as **PNEUMONIA, PINK EYE, DYSENTERY, COLDS, COUGHS, COLICS**, etc., with entire success. He had a mare that had frequent attacks of Colic, and was unfit for work for a week after an attack. Since treating her with your **VETERINARY SPECIFICS** she had a few, but is now permanently cured. I also cured a mule belonging in a brick yard—the worst case I ever saw. There were several hundred people who witnessed this. The mule was left for dead, and men wanted to bet he was dead, but I gave him the medicine every five minutes. He lay in a kind of stupor, as if dead, for half an hour and then got up, well! I am satisfied yours is the best medicine in the world for **COLIC**, as well as other diseases.

HUMPHREYS' H. M. CO., NEW YORK:

This is my testimonial that I bought a case of your **VETERINARY SPECIFICS** from your agent, and have used them with such good result that we have since invested in them in a larger way. They have **GIVEN ENTIRE SATISFACTION**. We have used them for a great many troubles, and the result was **ALWAYS GOOD**, and we can recommend them to all whom it may concern.

Yours respectfully, **F. S. HANSON,**
New England Mills, 145 and 147 West Lake St., Chicago, Ill.

CHICAGO, ILL., January 24, 1884.

HUMPHREYS' H. M. CO.:

GENTLEMEN—This is to Certify, That we have been using your **VETERINARY SPECIFICS** for several years with abundant success. We have used it for **SCAB** in sheep, and for a great many diseases in horses, and have always found it as represented, **EASILY ADMINISTERED, QUICK IN ITS EFFECTS, AND A SURE CURE**. I shall use them in preference to any other. Yours, etc.,

R. W. RATHBURN, 189 Washington St., Chicago.

HUMPHREYS' S. H. M. CO., NEW YORK:

This is to Certify, That I have used your **VETERINARY SPECIFICS** for over **TEN YEARS** in almost all such cases as horses are subject to. I will now enumerate a few of the cases. We have had exceedingly good luck with **PINK EYE, CONGESTION of the LUNGS**, and we have had quite a number of hard cases of **COLIC, PNEUMONIA** and **DISTEMPER**, etc. I must confess I never saw any medicine of its kind that will relieve the diseases of horses as

quickly as your medicines, and as long as I keep medicines for horses it shall be HUMPHREYS' SPECIFICS and no other.

Yours respectfully,

THOS. FITZGEARLS, 35 Newberry Ave., Chicago, Ill.

CHICAGO, ILL., April 4, 1884.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—With pleasure we give you the result of our experience in the use of your VETERINARY SPECIFICS, having used them in very many different cases, and ALWAYS WITH SUCCESS. We have cured COLIC, PINK EYE, PNEUMONIA, COUGH, SPINAL AFFECTIONS, and for HEAVES we simply say it is MAGNIFICENT. The medicines are all that they are represented, and as proof, would state that we had two very bad cases of INFLAMMATION OF THE LUNGS. One of these we treated with your medicines, as directed in your Veterinary Treatment; the other we gave to an Allopathic Veterinary. The horse he treated died; our patient got well.

Yours truly,

S. H. WEST & CO.

CHICAGO, ILL., May, 9, 1884.

HUMPHREYS' S. H. M. CO.:

GENTLEMEN—The result of a trial of your VETERINARY SPECIFICS, notwithstanding my prejudices, has been most satisfactory. I have used them in every case of sickness among my stock, and found them successful. One case in particular: A horse which was subject to the COLIC, which has not taken me at any time but twenty to thirty minutes to affect a cure. My prejudices have been removed, and I think there are no such medicines as yours. You have my order for a supply.

Yours truly,

PATRICK BRENNAN,

29 Arthurlington St., Chicago.

PITTSBURGH, April 9, 1885.

TO WHOM IT MAY CONCERN:

This is to Certify, That our company has used HUMPHREYS' VETERINARY SPECIFICS for nearly two years. I had but the slightest faith in them when we commenced to use them; now I cannot say too much for them. PINK EYE, COLICS, COUGHS, COLDS and FOUNDERS have been successfully treated; I never saw any medicine half as good. Outside our stables, I have cured numerous COLICS for my neighbors, and for FOUNDERS I cannot say too much for them. We have 170 horses, and under no circumstances would we be without them. We use nothing else, and want no other medicines. Cannot say too much in their favor.

JOHN DELOURY, Supt.,

Pittsburgh & Birmingham Passenger Railway Co.

CHICAGO, January 25, 1884.

HUMPHREYS' S. H. M. CO., New York:

GENTLEMEN—Having always used Allopathic medicines in treatment of veterinary cases I was much prejudiced against your

Homeopathic preparations, but one of your agents induced me to try them. I did so and found them to *act like a charm* in cases of PINK EYE, COLDS, and PNEUMONIA; in short they have given PERFECT SATISFACTION. They are a great improvement on the old method, so EASY, QUICK and SURE. I shall continue to use them whilst I have care of horses.

Yours truly,

FRANK YOUNG, Foreman Brink's Express,
193 Washington Street.

GEORGE L. RUSSELL, of Fort Orange Stables, Albany, N. Y., writes, "I have used HUMPHREYS' VETERINARY SPECIFICS for horses for years, and I want to send a Veterinary Manual to my friend, a captain in the 5th U. S. Infantry, stationed at Plattsburg Barracks, N. Y."

MR. GEORGE JENNINGS, Germantown, N. Y., writes, "I have used HUMPHREYS' VETERINARY SPECIFIC J.K. on my horse for indigestion and it worked like a charm. I have used Specific A.A. for fever and B.B. for Founder and lameness and they are all you claim them to be. I would not be without the Specifics in my stable for any money. I recommend them to all to be the best medicines for animals of all kinds."

M. CLEILAND MILNOR, Counsellor at Law, 229 Broadway, N. Y., writes, "I have used HUMPHREYS' VETERINARY SPECIFICS on my Yorkshire Terriers since 1889 and have recommended them extensively."

MR. WALTER BATTS, Woodside Boarding Kennels, Woodside, Long Island, writes, "I have used some of HUMPHREYS' VETERINARY SPECIFICS in my kennels, and they work first rate."

MR. C. EL CANDEE, Onondaga Valley, N. Y., writes, "Years ago, when I kept the Candee Hotel in Syracuse, Adam Forpaugh was in the city with his circus. He had several horses down sick and thought he would have to leave them behind. I helped him out with HUMPHREYS' VETERINARY SPECIFICS, and he was able to take the horses along, and used the Specifics for years after. I think that was about thirty years ago."

CAPTAIN WINSTON, who owns the marvellous troop of educated sea-lions, writes from the million dollar pier at Atlantic City, "I have used HUMPHREYS' VETERINARY SPECIFICS for my Sea-Lions for years with very great success."

MR. K. C. SPENCER, of the Electric City Kennels, Buffalo, N. Y., writes: "I have used HUMPHREYS' SPECIFICS in my kennels and find them very good."

The New York Catholic Protectory under date of December 15, 1910, orders one dozen HUMPHREYS' VETERINARY OIL sent to the Lincoln Agricultural School.

MR. JOHN A. VANDERTILL, Coopersville, Mich., writes under date of April 19, 1911: "I have used HUMPHREYS' VETERINARY SPECIFICS for a number of years for colic, distemper, colds, milk fever, etc., with great success. I have also used them for my hogs with good results."

MR. ALDEN W. HARVEY, Uncasville, Conn., writes: "I have used HUMPHREYS' VETERINARY SPECIFIC F. F. with good success; have never had a case of colic where two or three doses would not relieve."

MR. RICHARD J. HILL, general teamster and contractor, Philadelphia, writes: "I am a great user of HUMPHREYS' VETERINARY SPECIFICS and would like to have one of DR. HUMPHREYS' VETERINARY MANUALS."

MR. D. C. WETHERELL, dealer in agricultural implements, New Braintree, Mass., writes: "I have used HUMPHREYS' VETERINARY SPECIFIC G. G. on my farm for years and think it is the best medicine ever invented."

MR. FRANK W. LUNT, dealer in dry goods, West Tremont, Maine, writes: "I have used HUMPHREYS' VETERINARY SPECIFICS in my stable and it is so valuable I don't see how I could do without it."

MR. J. S. ADAMS, of Williams Reservoir Camp, Norwood, Colo., writes: "I am using HUMPHREYS' VETERINARY SPECIFICS and find them good."

MR. C. E. PLEDGER, Store Manager of the J. L. Roper Lumber Co., Roper, N. C., writes: "Our patrons here are opening a library, practically for the benefit of farmers and stock raisers. They are very anxious for two copies of DR. HUMPHREYS' VETERINARY MANUAL to place in the library."

MR. F. WARREN WIGGINS, Manager of the Quechee Falls Farm, Quechee, Vermont, writes under date of January 31, 1911: "We are constant users of HUMPHREYS' VETERINARY SPECIFICS."

DOVER PLAINS, N. Y., Sept. 27th, 1887.

GENTLEMEN :

We have recently been using your **Specific A.A.**, for **Milk Fever in Cows**, with great success. I think if the directions in your valuable book are strictly followed, every case of Milk Fever would be cured. We are now using the Milk Fever Specific as a preventive, and do not expect to have another case in our herd of 130 cows. We have also used your **Specific G.G.**, for **Retention of Afterbirth in Cows**, and find it to work like a charm. I believe every farmer would profit by having a **Case of your Specifics** on hand, ready for use, and by making himself familiar with your very valuable book. We do not mean to be without them in future. Yours truly,

ISAAC W. WHITE.

GOVERNMENT APPROVALS

Approval of **Dr. Humphreys' Preparations** has been bestowed by the Medical Authorities of different **American Republics**. Their introduction into France has been allowed by the French Government. They have been approved by the National Board of Health of the Argentine Republic and by the National Board of Health of the United States of Brazil.

Twelve complete Stable Cases of **Humphreys' Veterinary Specifics** have been furnished to the United States Geological Survey, Department of the Interior.

Humphreys' Veterinary Specifics are constantly being supplied to the U. S. Naval Magazines, Iona Island, New York.

PALO ALTO.

HUMPHREYS' VETERINARY SALESMAN
CROSSED THE CONTINENT TO VISIT PALO ALTO,
THE STOCK FARM OF **GOVERNOR STANFORD**,
THE HOME OF
SUNOL, ARION, PALO ALTO, &c.

AFTER PRESENTING PROPER CREDENTIALS
AND EXHIBITING THE LIST OF PROMINENT
STOCK OWNERS USING THE SPECIFICS, Mr.
REYNOLDS, THE SUPERINTENDENT, AND Mr.
MARVIN, THE TRAINER, CONSENTED TO HIS
TREATING **SUNOL** (NOW OWNED BY ROBERT
BONNER, ESQ.,) AND **PALO ALTO** FOR LAME-
NESS.

AFTER THOROUGHLY TESTING THE SPECI-
FICS ON THESE AND OTHER CASES, Mr. STAN-
FORD'S BUSINESS MANAGER AND ATTORNEY,
Mr. LATHROP, PLACED AN ORDER FOR
HUMPHREYS' VETERINARY SPECIFICS,
PROBABLY THE LARGEST EVER GIVEN FOR
VETERINARY MEDICINES ALONE.

THIS COMPLETES THE LIST OF PROMINENT
STOCK OWNERS WHO HAVE ADOPTED THE USE
OF

Humphreys' Veterinary Specifics.

EL SALITRE Y LAS TABLAS

TOLUCA, EST. DE MEXICO.

CARLOS MAÑON Y URIBE.

Dirección Postal: El Salitre
(Est. del Rio F. C. N. de M.)

Telégrafo del
F. C. N. de M.

EL SALITRE, Mayo 3 de 1911.
Sres. Humphreys' Homeopathic Medicine Co.
Corner William and Ann Streets
New York, N. Y.
U. S. of A.

Muy Señores míos:—

Me es grato poner en conocimiento de Uds. el resultado obtenido con sus específicos veterinarios en estas fincas.

Anteriormente aparecía periódicamente la “Pleuro-pneumonía” en forma casi epidémica atacando de preferencia à los becerros menores de seis meses y dando resultados necesariamente mortales consulté con un profesor Veterinario de la Ciudad de México, quien me indicó que la enfermedad era mortal sin remedio pues tenía preventivos pero no curación; por esa época compré al Sr. W. G. ROBINSON, de México, por cuyo conducto envío á Uds. esta carta; uno de los botiquines de Uds. y lo estado usando en diferentes ocasiones la mayor parte con magnifico resultado; en el presente año cuando comenzaron à enfermarse los becerros les apliqué el específico “E. E.” el que los ha curado en poco tiempo y en un promedio de 90% lo que en mi concepto es un triunfo verdadero.

Réstame felicitar á Uds. por la fabricación de dichos específicos, aprovechando la oportunidad de ponerme á sus órdenes.

suyo atto. afmo. y S. S.

CARLOS MAÑON Y URIBE.

BEWARE OF IMPOSITION

The public are cautioned against buying medicines from **IRRESPONSIBLE PARTIES**, who sell their worthless imitations by claiming to have been in **DR. HUMPHREYS' EMPLOY**, and to have learned to make his **VETERINARY SPECIFICS**, or others as good, etc. All such stories are utterly false and misleading, and unworthy of the slightest confidence. You are only safe in buying through my authorized agents **HUMPHREYS' VETERINARY SPECIFICS**, properly Labeled, Lettered and with Name and Trade Mark blown in Bottle. None others are **GENUINE** or **TRUSTWORTHY**.  Every Extensive Dealer or Breeder who has for any considerable time used these imitations **HAS LOST VALUABLE STOCK IN CONSEQUENCE**.

F. HUMPHREYS, M. D., V. S.

MEDICINES BY MAIL OR EXPRESS.

It has been a feature of **DOCTOR HUMPHREYS' FAMILY SPECIFICS, VETERINARY SPECIFICS and WITCH HAZEL OIL (COMP.)** from the first, to send them in any quantity, *from a single vial to a FULL CASE OR BOX*, to any address prepaid, on receipt of price. Thus any one may obtain them, if not at the dealers, then by post from the nearest office.

Write the order plainly, inclose Post Office Money Order, Express Money Order; or Register the letter for safety.

NERVOUS DEBILITY

Is known by a weak, nervous, exhausted feeling; a **lack** of animation or energy, often with confused head, depressed mind, weak memory, or with debilitating, involuntary discharges—the consequence of **excesses**, indiscretion, or mental overwork. This condition finds a sovereign relief in

Humphreys' Homeopathic Specific **NO. TWENTY-EIGHT.**

It tones up the system, dispels the mental gloom and despondency, arrests the drain and rejuvenates the entire system. Perfectly harmless, been in use fifty years, has helped thousands, and is the always efficient and safe remedy. Its highest praise is that it is extensively imitated. It is especially efficient for the **YOUNG** and **INDISCREET**, and the **OVERWORKED**, **OVERTAXED**, or **CAREWORN** in active or advanced life.

PRICE.—\$1.00 per single flask; or \$5.00 for a **Package** containing Pills and Powder; which is important in old, or serious cases.

Sold by **ALL** Druggists, and sent post or express paid, on receipt of price. Address,

HUMPHREYS' HOMEOPATHIC MEDICINE CO.,
Cor. William and Ann Streets, New York.

HUMPHREYS'

Witch Hazel Oil.

(COMPOUND)

"THE PILE OINTMENT."

One Application Gives Relief.

 **SAMPLE MAILED FREE.**

This Ointment is the triumph of Scientific Medicine. Nothing has ever been produced to equal or compare with it as a curative and healing application. The virtues of Witch Hazel have long been known and celebrated as a healer and pain curer. But when combined with other healing medicines and applied in the form of a solvent, its curative effects are marvelous. This Ointment has been in use fifty years by the eminent physicians and the people

For Piles, Fissures, Ulcerations, Eruptions, Itching, or Bleeding of the Rectum. For these complaints or any of them.

For Burns, Scalds, and Ulcerations and Contractions from Burns.

For Painful, or Corroding Ulcers; Carbuncles and Boils.

For Old Sores, Indolent Ulcers and Fistulae, Lacerated, Torn or Cut Wounds, or Ulcers resulting from them, Tetters, Scurfy Eruptions, Chapped Hands, Fever Blisters, Sore Lips, Corns and Bunions.

For Chafings; Rawness; Soreness; Itching; Excoriations from fretting of Garments, Discharges, or from Pimples; or Dryness tending to Chaps or Ulcerations; Itching of the Anus and Pin Worms.

Three Sizes, 25c., 50c. and \$1.00
Sent by Mail, or Sold by Druggists Generally.

Humphreys' Homeo. Med. Co.,
Cor. William and Ann Sts. NEW YORK.

HUMPHREYS'

MARVEL

WITCH HAZEL.

Prepared under the immediate supervision of DR. HUMPHREYS' SONS, from recipes used by him for Forty Years, and from which thousands of barrels have been made and sold.

For External and Internal Use—To Apply and to Take

It is always safe—always reliable—never injurious.
It Heals the widest variety of Injuries—Wounds,
Bruises, Contusions, Sprains, or Lacerations.

It is the great Styptic or Stauncher of Bleeding.

For Piles.

For Toothache, Earache, Neuralgia.

For Rheumatic Pains, Lameness, Soreness and
Stiffness.

For Sunburns, Burns, and Scalds.

For Catarrh, Mucous Discharges.

For Ulcers, Sores, Boils, Corns and Felons.

For Mosquito Bites and Insect Stings.

For Excoriations, Chafings, and Soreness.

For Stable Use, Harness or Saddle Galls, Sore Back.

It has been in popular use for Forty Years.

PRICE—6 oz. Bottles, 25 cts Pints, 50 cts. Quarts, \$1.

HUMPHREYS' HOMEOPATHIC SPECIFICS

Are designed to meet the special needs of families or invalids. Something that mother, father, nurse, or invalid can take or give to meet the need of the moment; something for the Headache or Toothache, the Diarrhea or Colic, the Croup or Quinsy, or other ailment or disease. These constantly occur, and are at once safely treated by these *Harmless Sugar Pills*, far better than by taking Herb Teas, Drugs or Pills, or Cure-alls.

THOUSANDS OF FAMILIES have used these **Humphreys' Specifics** for the last fifty years with perfect success. They have depended upon them for all the diseases occurring in the family, and they rarely have serious sickness or occasion to send for the doctor. Not only have they better health and greater freedom from disease, but they save THOUSANDS OF DOLLARS in the expense of drugs and needless doctors bills.

With a case of **Humphreys' Specifics**, at the expense of but a few dollars, every family may have in their hands a source of relief and help in any emergency, and may render themselves comfortable.

No other system or method is so safe or efficient. No other system is so economical. A twenty-five cent vial of **Specifics** contains over twenty portions of medicine; a fifty cent vial, over fifty doses of medicine; while a TEN DOLLAR CASE contains nearly two thousand doses. THE SAVING IN COST OF DRUGS, LOST TIME, SICKNESS AND SUFFERING, IS INCALCULABLE.

DR. HUMPHREYS' SPECIFICS.

Directions with each Vial in Five Languages.

English, German, Spanish, Portuguese and French.

No.	FOR	Price.
1.	Fevers, Congestions, Inflammations	25
2.	Worms, Worm Fever, or Worm Disease	25
3.	Colic, Crying and Wakefulness of Infants	25
4.	Diarrhea, of Children and Adults	25
5.	Dysentery, Gripings, Bilious Colic	25
6.	Cholera Morbus, Vomiting	25
7.	Coughs, Colds, Bronchitis	25
8.	Toothache, Faceache, Neuralgia	25
9.	Headache, Sick Headache, Vertigo	25
10.	Dyspepsia, Indigestion, Weak Stomach	25
11.	Suppressed Menses, or Scanty	25
12.	Leucorrhea, or Profuse Menses	25
13.	Croup, Hoarse Cough, Laryngitis	25
14.	Salt Rheum, Eruptions, Erysipelas	25
15.	Rheumatism, or Rheumatic Pains	25
16.	Fever and Ague, malaria	25
17.	Piles, Blind or Bleeding, External, Internal....	25
18.	Weak or Inflamed Eyes.....	25
19.	Catarrh, Influenza, Cold in Head	25
20.	Whooping Cough, Spasmodic Cough.....	25
21.	Asthma, Oppressed, Difficult Breathing	25
22.	Ear Discharge, Earache	25
23.	Swellings and Ulcers	25
24.	General Debility, Brain Fag	25
25.	Dropsy, Fluid Accumulations	25
26.	Sea-Sickness, Nausea, Vomiting	25
27.	Kidney Disease	25
28.	Nervous Debility, Vital Weakness	1.00
29.	Sore Mouth, or Canker	25
30.	Urinary Incontinence, Wetting Bed	25
31.	Painful Menses, Pruritus	25
32.	Diseases of the Heart, Palpitations	1.00
33.	Spasms and Convulsions.....	1.00
34.	Sore Throat, Quinsy	25
35.	Chronic Congestions, Headaches.....	25
77.	GRIPPE, HAY FEVER and Summer Colds....	25

A small bottle of Pleasant Pellets, fits the vest pocket. Sold by druggists, or sent on receipt of price.
HUMPHREYS' HOMEOPATHIC MEDICINE CO.,
Corner William and Ann Streets, New York.



FOR SALE BY

W. H. Tegeler, Ph. G.

West Grove, Pa.

Drugs and Chemicals

TOILET AND FANCY ARTICLES

Prescriptions Carefully Compounded
at all Hours.